

SHOWER ENCLOSURES

by **KOHLER**®



COMPLETE BATHROOM SOLUTION WITH SHOWER ENCLOSURES



Bold
Designs



Unmatched Quality
& Performance



Best in
Class Service



SHOWER ENCLOSURES

Be it innovative design, best-in-class performance, easy maintenance or unquestioned safety, Kohler® Shower Enclosures allow you to raise your showering experience by several notches.



ENGINEERED FOR HIGH FLOW SHOWERS

- No leaks assurance
- Easy clean Kohler® CleanCoat™



3X CORROSION RESISTANT

- Industry best shower enclosures
- 5 years warranty



BOLD DESIGNS

- Wide range of hardware designs & glass patterns
- Vibrant finishes that compliment your bathroom



CONFIGURATIONS THAT SUIT YOU BEST

- Custom sized glass
- Transparent pricing



HASSLE FREE INSTALLATION SERVICE

- Exclusive installation team
- Live tracking of installation status



CLEANCOAT TECHNOLOGY

- Easy to clean glass



Scan here for shower enclosure buying guide.
5 years warranty on hardware. 2 years warranty on material.
*Refer warranty document for details.

Singulier 1 door 2 panels, straight in rose gold



RAISE YOUR SHOWERING EXPERIENCE WITH SWING ENCLOSURES

Own the excellence embodied by Kohler® Shower Enclosures with swing doors that pivot around a host of unique facets and superior benefits.

COLOURS by
KOHLER



NEW TRILOGY

Elegant and stylish design with rounded edges.

Hinge



No Leaks



CleanCoat™
Technology




3X Corrosion
Resistance



Anti-Yellowing
Seals

Handle






NEW TRILOGY

K-704698IN-SHP


1 door 1 panel - Straight
Running length: Upto 1800mm
Height: 2000mm



NEW TRILOGY

K- 704700IN-SHP

1 door 2 panels - L-Shape 90°
Running length: Upto 3000mm
Height: 2000mm



NEW TRILOGY

K- 704699IN-SHP


1 door 2 panels - Straight
Running length: Upto 3000mm
Height: 2000mm



NEW TRILOGY

K- 704701IN-SHP


Glass partition
Running length: Upto 1200mm
Height: 2000mm



NEW TRILOGY

K- 704702IN-SHP


2 doors 3 panels - T-Shape
Running length: Upto 4500mm
Height: 2000mm



NEW TRILOGY

K- 704703IN-SHP


Height Extension 2400mm
1 door 1 panel /1 door 2 panels
Height 400mm, Glass thickness 10mm



NEW TRILOGY

K- 704704IN-SHP

Height Extension 2400mm
T-Shape
Height: 400mm, Glass thickness: 10mm



NEW TRILOGY

K- 704705IN-SHP

Height Extension 2400mm
Partition
Height: 400mm, Glass thickness: 10mm



Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.



SINGULIER

Contemporary design with minimal metal and sleek hinges.

Hinge



Handle



Bracebar



No Leaks



CleanCoat™ Technology



3X Corrosion Resistance




Anti-Yellowing Seals



Auto Close




Adjustability for Tapered Walls



SINGULIER

K-708065IN-CP


1 door 1 panel - Straight
Running length: Upto 1800mm
Height: 2000mm



SINGULIER

K-708066IN-CP

1 door 2 panels - Straight
Running length: Upto 3000mm
Height: 2000mm



SINGULIER

K-708067IN-CP

1 door 2 panels - L-Shape 90°
Running length: Upto 3000mm
Height: 2000mm



SINGULIER

K-708069IN-CP


Door
Running length: Upto 700mm
Height: 2000mm



SINGULIER

K-708070IN-CP


Partition
Running length: Upto 1200mm
Height: 2000mm



SINGULIER

K-708071IN-CP

Height extension 2400mm
1 door 1 panel /1 door 2 panels
Height: 400mm, Glass thickness: 10mm



SINGULIER

K- 704794IN-SHP

Height extension 2400mm
Door / Partition
Height: 400mm, Glass thickness: 10mm



Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.

COLOURS by
KOHLER



Singulier 1 door 2 panels, straight in french gold

SINGULIER IN FINISHES

Explore stylishly designed shower enclosures
in vibrant finish.



No Leaks



CleanCoat™
Technology




3X Corrosion
Resistance



Anti-Yellowing
Seals



Auto Close




Adjustability for
Tapered Walls

Handle



Bracebar






SINGULIER

K-708065IN-AF

1 door 1 panel - Straight
Running length: Upto 1800mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD




SINGULIER

K-708066IN-AF

1 door 2 panels - Straight
Running length: Upto 3000mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD




SINGULIER

K-708067IN-AF

1 door 2 panels - L-Shape 90°
Running length: Upto 3000mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD



SINGULIER

K-704792IN-AF

2 door 4 panels - T Shape
Running length: Upto 4500mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD




SINGULIER

K-708069IN-AF

Door
Running length: Upto 700mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD




SINGULIER

K-708070IN-AF

Partition
Running length: Upto 1200mm
Height: 2000mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD




SINGULIER

K-708071IN-AF

Height extension 2400mm
1 door 1 panel / 1 door 2 panels
Height: 400mm, Glass thickness: 10mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD



SINGULIER

K-704794IN-SHP

Height extension 2400mm
Door / Partition
Height: 400mm, Glass thickness: 10mm

French Gold AF	Brushed Nickel BN
Brushed Bronze BV	Rose Gold RGD

Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.



SINGULIER SLEEK

Modern design with sleek wall jamb for easy installation and increased stability.

Hinge



No Leaks



CleanCoat™ Technology



3X Corrosion Resistance

Handle




Anti-Yellowing Seals

Wall profile with adjustability for tapered walls




Auto Close




SINGULIER SLEEK | K-709065IN-CP

1 door 1 panel - Straight
 Running length: Upto 1800mm
 Height: 2000mm



SINGULIER SLEEK | K-709066IN-CP

1 door 2 panels - Straight
 Running length: Upto 3000mm
 Height: 2000mm



SINGULIER SLEEK | K-709067IN-CP

1 door 2 panels - L-Shape 90°
 Running length: Upto 3000mm
 Height: 2000mm



SINGULIER SLEEK | K-709070IN-CP

Partition
 Running length: Upto 1200mm
 Height: 2000mm



SINGULIER SLEEK | K-709069IN-CP

Door
 Running length: Upto 700mm
 Height: 2000mm



Sizes in finishes and glass thickness may change from 8mm -> 10mm, after site measurements.



MEMOIRS

Stunningly beautiful design with minimum metal and heavy duty hinges.

Hinge



Handle



Bracebar



No Leaks




CleanCoat™ Technology



3X Corrosion Resistance



Anti-Yellowing Seals



Auto Close




Adjustability for Tapered Walls



MEMOIRS

K-705083IN-SHP


1 door 1 panel - Straight
 Running length: Upto 1800mm
 Height: 2000mm



MEMOIRS

K-705084IN-SHP

1 door 2 panels - Straight
 Running Length: Upto 3000mm
 Height: 2000mm



MEMOIRS

K- 705085IN-SHP

Height extension 2400mm
 1 door 1 panel /1 door 2 panels
 Height: 400mm, Glass thickness: 10mm



Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.



ADD MODERNITY TO YOUR BATH SPACE WITH SLIDING ENCLOSURES

With their unique features and unmatched advantages, Kohler® Shower Enclosures with Sliding Doors let you experience a shift from the normal that's as stark as it is refreshing. Economize on space as you savour the smooth sliding and quiet action of engineered rollers.

LEVITY

Bold design with frameless sliding door and stainless steel hardware



No Leaks



CleanCoat™ Technology



3X Corrosion Resistance



Anti-Yellowing Seals



Adjustability for Tapered Walls




LEVITY

K-705118IN-SHP

Small
Running length: 1280mm - 1500mm
Height: 2000mm

CP



LEVITY

K-705119IN-SHP

Big
Running length: 1500mm - 2000mm
Height: 2000mm

CP

Sizes in finishes and glass thickness may change from 8mm -> 10mm, after site measurements.



NEW LEVITY

Durable and amazingly smooth quiet sliding technology with sleek design.

AVAILABLE IN TWO HANDLE DESIGN OPTIONS

Knob Handle



Bar Handle



Sliding Rollers



Wall profile with adjustability for tapered walls



No Leaks



CleanCoat™ Technology



3X Corrosion Resistance



Anti-Yellowing Seals



Adjustability for Tapered Walls



Smooth Sliding (Rollers)



NEW LEVITY

K-709075IN-CP

Small with Knob
 Running length: 1280 mm - 1600 mm
 Height: 2000mm



NEW LEVITY

K-709076IN-CP


Big With Knob
 Running Length: 1600 mm - 2100 mm
 Height: 2000mm



NEW LEVITY

K-709077IN-CP

Small With Handle
 Running length: 1280 mm - 1600 mm
 Height: 2000mm



NEW LEVITY

K-709078IN-CP

Big With Handle
 Running Length: 1600 mm - 2100 mm
 Height: 2000mm





CONTRA

Minimalistic European sliding design with sleek, understand metal elements.



No Leaks




CleanCoat™
Technology




3X Corrosion
Resistance



Anti-Yellowing
Seals




Adjustability for
Tapered Walls




CONTRA | K-705115IN-SHP

Small
Running length: 1350mm - 1550mm
Height: 2000mm



CONTRA | K- 705116IN-SHP

Big
Running length: 1550mm - 2000mm
Height: 2000mm



CONTRA | K- 705117IN-SHP

L - shape expansion pack
Running length: L expansion
Height: 2000mm



Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.

TORSION

Red dot design award winner with modern refinement that amplifies the door.



No Leaks




CleanCoat™
Technology




3X Corrosion
Resistance




Anti-Yellowing
Seals



Center Sliding



Adjustability for
Tapered Walls



TORSION

K-705120IN-SHP

1 door 2 panels
Running length: 1700mm - 2500mm
Height: 2000mm



Torsion Shower Enclosure



reddot design award

Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.



ELEVATE

Bold design with frameless sliding door stainless steel hardware.



No Leaks



CleanCoat™
Technology



3X Corrosion
Resistance




Anti-Yellowing
Seals



Center Sliding



Adjustability for
Tapered Walls



ELEVATE

K-705122IN-SHP

Running length: upto 1170mm x 1170mm
Height: 2000mm

CP

Sizes in finishes and glass thickness may change from 8mm -> 10mm. after site measurements.

SHOWER ENCLOSURE UPGRADES

A magical range of Glass Patterns – featuring Lattice, Tryst, Mizzle and Tangle – makes Kohler® Shower Enclosures a stunning addition to the bathspace. Styled to the latest trends, they are available in a variety of upgrade options.



LATTICE

Geometric lines pay tribute to latticed screens from traditional Indian architecture and bring this art-form into the contemporary bathroom



TRYST

The playful interaction of shapes creates transition and movement in your shower space



TANGLE

Intertwining lines dancing on the glass door add an artistic edge to your shower space



MIZZLE

Featuring asymmetric falling lines, the mizzle pattern enshrouds you with poetic imagery of mist and rain

OTHER GLASS OPTIONS

Give your bathroom an unmatched look with a variety of glass options designed for a great showering experience.



FROSTED

It's stylish, easy to clean and lets you enjoy your shower in total privacy.



CRYSTAL CLEAR

Makes your bathspace appear bigger, adds brightness to the ambience and is timelessly trendy.



SAFETY/LAMINATED

Glass with additional safety features that make it less likely to break and less likely to pose a threat if broken.

Levity Shower Enclosure with tryst pattern



Add luxury with our steam generators


COMPLETE YOUR BATHROOM WITH OUR ADDITIONAL OFFERINGS

CREATE THE ULTIMATE SPA EXPERIENCE

- Add luxury with our steam generators
- Comfort and hygiene with shower seats

SHOWERING SPACE ADD-ONS

- Shower Drain
- Kohler Ledges



Shower seat



Kohler ledges



Shower drain



THE KOHLER EDGE

KOHLER CLEANCOAT™ - EASY TO CLEAN GLASS

Specially coated glass surface allows easy cleaning and maintenance.



Kohler CleanCoat™

Ordinary glass

KOHLER QUALITY ASSURANCE

Long lasting hardware and finishes.



HIGHEST QUALITY TOUGHENED GLASS

Strict quality standards ensuring no compromise on safety.



KOHLER TEST STANDARDS

BUILT TO LAST

Part	Test Type	Test Name	Standard	Description & Acceptance Criteria	Verdict
Enclosure	Endurance	Life Cycle Test	EN-14428:2015 & Kohler Internal Standard	After door open & close cycles (1) No functions impaired (2) No developed noises (3) No developed vibrations European Standard: 20,000 cycles Kohler Standard: 100,000 cycles	Compliant
	Safety/Stability	Horizontal Dynamic Load Test (Structure Stability)	EN-14428:2015	Shower enclosures shall withstand an energy representing the impact of a human body on a large impact area (e.g. blow from shoulder, fall) without any functional deterioration which could result in injury to the user at 100 lbs (45.4 kg) (no parts breaking/separating or Injury to user)	Compliant
	Functional	Water Containment	EN-14428:2015	Shower enclosures shall retain water. A few small drops of water on the outside of the water retaining area are acceptable.	Compliant
	Functional	Shower Door System Vertical Load(Handle/Knob)	Kohler Internal Standard	At 100 lbs (for all required load locations) – no failure or permanent deformation (no parts breaking or separating)	Compliant
	Installation	Installation	Kohler Internal Standard	(1) Accommodate a minimum of 3/8" (9.5mm) per side vertical out-of-plumb condition. (2) Door shall fit into the defined openings (max & min opening size, wall-to-threshold radii, diagonal of opening size, etc.) (3) Door shall fit on the applicable designated thresholds (sizes and materials).	Compliant
Hardware	Color/Finish	Color/Finish Verification For Class III	ASTM G85- Acetic Acid	No rusting for 72 hours	Compliant
Glass	Material	Float Glass	ASTM C1036-2016	As per standard	Compliant
	Material	Toughened Glass	ASTM C1048-2018	As per standard	Compliant
Seals	Material	UV/Colorfastness	ENISO4892-3	5H of UV exposure followed by 1H of water spray, Test time: 240 Hours	Compliant
	Material	Environment/Thermal Shock testing	Kohler Internal Standard	By varying temperature from 70°C to -10°C, no thermal expansion & contraction should be visible in part	Compliant

SHOWER DOOR ENCLOSURES WARRANTY TERMS & CONDITIONS

Kohler India Corporation Pvt. Ltd. ("KOHLER India") shower door enclosures ("Product") are warranted to be free of defects in the material and workmanship for the period of 5 years, commencing from date of sale of Products to the original purchaser ("warranty period").

During the warranty period if (in the opinion of Kohler India) the defect in the products is due to defect in the material or workmanship, Kohler India or its Authorized Service Franchisee/Representative will, at its sole option, repair or replace it free of cost, any defective component or part of the products, subject to the terms and conditions described below:

1. Kohler India or its Authorized Service Franchisee solely can service/repair the Product. Kohler India and its Authorized Service Franchisee will repairs or replace the products under this warranty within a reasonable period of time, as determined by Kohler India or its Authorized Service Franchisee performing the repair or replacement.
2. This warranty is only effective if proof of purchase (original sales receipt) is provided with all warranty claims or requests.
3. This warranty does not include payment of or responsibility for any excise duty, central taxes, state taxes and octroi or other local taxes assessed to the parts supplied or repaired during the warranty period.
4. This warranty shall automatically terminate upon the expiry of the warranty period even if the Product has not been installed after purchase or has not been in the use for any part or whole of the warranty period for any reason whatsoever.
5. In the event of any repairs/replacement of any parts of the Product, this warranty shall thereafter continue and remain in force only for the unexpired period of the warranty. Any time consumed for the repair/ replacement of parts including transit of the Product or its parts or any period during which the Product has not been used whether under warranty or otherwise shall not be excluded from the warranty period and no extension of the warranty period will be granted.
6. This warranty remains applicable only if the Product has at all times been used strictly in accordance with the terms of this warranty and has not been improperly or negligently handled. Reckless handling of the Products automatically terminates and nullifies this warranty. This warranty does not cover problems arising from excessive water impurities or improper care and cleaning. Guidelines for proper care and cleaning are mentioned below. Kohler is not responsible for labor charges, installation or other incidental or consequential costs. Kohler is not responsible or liable for any special or consequential damages due to the defective Product, or due to defects of any component or part thereof. In no event shall the liability of Kohler India exceed the purchase price of the Product. Improper care and cleaning will void the warranty.
7. In the event of non availability of components or parts due to any reason whatsoever, neither Kohler India nor its Authorized Service Franchisee nor the Dealer will be responsible or liable for any delay that may be caused to service/repair of the Product. In the event that the same model or colour is not available for replacement, Kohler India or its Authorized Service Franchisee will replace the defective Product with an equivalent model or colour.
8. Kohler India may, at its discretion, retain any part or component replaced during the warranty period.

9. For Shower Enclosures sold in India, only this Warranty document is applicable. Any reference to any other warranty document will not be considered.

10. This Limited Warranty does not cover:

Claims for loss of use / inconveniences due to any damages caused by lightning, fire, flood, accident, negligence, misuse.

Product that has been damaged due to installation, repairs, alteration or modification by unauthorized service organizations or persons.

11. Clean Coat application provides the water to form as individual droplets on glass surface which enables cleaning of glass easier in comparison to normal glass.

Recommended cleaning of glass surface with a soft cloth after every use.

12. Glass being a fragile item will not be covered under warranty.

13. Kohler India reserves the right to amend the terms and conditions if necessary.

This is Kohler India's exclusive written warranty. The decision of Kohler India regarding the warranty is final and binding. All disputes are subject to the exclusive jurisdiction of the courts of Gurgaon only.

Care and cleaning guidelines

- Do not use commercially available cleaners on the glass surface. Commercially available cleaners typically have acidic content which deteriorates the Clean Coat life and performance.
- Wipe glass surface only with water or mild soap solution and wipe with soft cloth.
- Use a soft, dampened sponge or cloth to clean. Never use abrasive material like a bristle brush or scouring pad.
- Clean hardware surfaces once a week with water and soft cloth. Do not use cleaners containing chloride. If used, rinse the surface immediately to prevent corrosion.
- Do not use oil or grease on the hinges, pivot and sliding rails.

Notice: Failure to comply with these cleaning instructions may void Kohler's warranty obligations.

For any further assistance please contact us:

Kohler Toll Free: 1800 103 2244
(Mon – Sat 08:00 a.m. to 08:00 p.m.)

E-mail: indiacustomer@kohler.com

Contact us at:

India Customer Service Center, Kohler India Corporation Pvt. Ltd.
6th Floor, Office Tower, Ambience Island, NH-8, Gurgaon, Haryana - 122001
(Customer Care: 1800-103-2244, Monday-Saturday from 10:00 am to 06:00 pm)

www.kohler.co.in

KOHLER.co.in

Talk to us.: 1800-103-2244 |  : India.Kohler |  : KOHLER India |  : kohler_india

2023